


**Nelson
Mullins**



Nelson Mullins Riley & Scarborough LLP
Attorneys and Counselors at Law
1320 Main Street / 17th Floor / Columbia, South Carolina 29201
Tel: 803.799.2000 Fax: 803.256.7500
www.nelsonmullins.com

Craig N. Killen
Registered Patent Attorney
803.255.9382
Fax: 803.255.9831
craig.killen@nelsonmullins.com

February 16, 2005

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

In re: Application of Alonzo W. Beasley, Jr.
Title: "MOTOR VEHICLE AIR BAG AND FABRIC FOR USE IN SAME"
Serial No: 10/684,639 Filed: October 14, 2003
Our Ref: 16147/09002 CON


Dear Sir:

The following is being transmitted herewith:

1. Petition to Withdraw the Holding of Abandonment Under 37 C.F.R. § 1.181, with Exhibits A, B, C


Please charge any deficiency or credit any overpayment required by this action to our deposit account no. 50-1196, for which purpose an extra copy of this transmittal letter is attached.

Very truly yours,



Craig N. Killen
Reg. No. 35,218

I hereby certify that this correspondence and any referenced attachment and/or fee are being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the date listed above.

Martha Boynton
(Typed or printed name of person mailing paper or fee)


(Signature of person mailing paper or fee)

BEST AVAILABLE COPY



PATENT

ATTORNEY DOCKET NO.: 16147/09002 CON

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of)	
ALONZO W. BEASLEY, JR.)	Examiner:
)	Singh, Arti R.
Serial No.: 10/684,639)	
)	Art Unit: 1771
Filed: October 14, 2003)	
)	
Title: MOTOR VEHICLE AIR BAG AND)	
FABRIC FOR USE IN SAME)	

PETITION TO WITHDRAW THE HOLDING OF ABANDONMENT
UNDER 37 C.F.R. § 1.181

Mail Stop Petitions
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

This is in response to a Notice of Abandonment mailed February 3, 2005 in relation to the above-identified application. A copy of the Notice of Abandonment is attached hereto at Exhibit A.

The Notice of Abandonment was based on Applicant's alleged failure to respond to the Office Action mailed on July 29, 2004. The Office Action set a shortened statutory period for reply three months from its mailing date. Thus, the period for response to the Office Action expired on October 29, 2004, but was extendable through January 29, 2005 with the payment of the fee for a three-month extension of time. Because January 29, 2005 was a Saturday, the final deadline for reply with a three-month extension was Monday, January 31, 2005.

In fact, Applicant mailed a proper response to the Office

Action on January 31, 2005, with payment of the fee for a three-month extension. A copy of the response and all related documents is attached hereto at Exhibit B. The reply included a Certificate of Mailing pursuant to 37 C.F.R. § 1.8.


Applicant's amendment was received by the PTO Mail Room on February 3, 2005, as shown by the self-addressed postcard stamped by the PTO Mail Room on that date. A copy of the postcard is attached hereto at Exhibit C.

In view of the foregoing, it is respectfully requested that the holding of abandonment be withdrawn, that the application be reinstated to good standing, and that the application now proceed to further substantive examination by the PTO.

Please charge any deficiency or credit any overpayment required by this action to our deposit account no. 50-1196.

Respectfully submitted,

NELSON MULLINS RILEY & SCARBOROUGH




Craig N. Killen
Registration No. 35,218
P.O. Box 11070
Columbia, SC 29211-1070
(803) 255-9382
Fax (803) 255-9103

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as First Class Mail under 37 CFR 1.8 and is addressed to: Mail Stop Petitions, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on February 16, 2005.

Martha Boynton

Typed or printed name of person mailing paper or fee



Signature of person mailing paper or fee



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/684,639	10/14/2003	Alonzo W. Beasley JR.	16147/09002 CON	3733

27530 7590 02/03/2005

NELSON MULLINS RILEY & SCARBOROUGH LLP
P.O. BOX 11070
COLUMBIA, SC 29211

EXAMINER

SINGH, ARTI R

ART UNIT PAPER NUMBER

1771

DATE MAILED: 02/03/2005



Please find below and/or attached an Office communication concerning this application or proceeding.


RECEIVED

FEB 10 2005

NELSON MULLINS
COLUMBIA OFFICE

Pet. to Revive
"Docketed for"
03 APR 05

FSE



Notice of Abandonment

Application No.

10/684,639

Examiner

Ms. Arti Singh

Applicant(s)

BEASLEY, ALONZO W.

Art Unit

1771

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--


This application is abandoned in view of:

1. ☒ Applicant's failure to timely file a proper reply to the Office letter mailed on 29 July 2004.
 - (a) ☐ A reply was received on _____ (with a Certificate of Mailing or Transmission dated _____), which is after the expiration of the period for reply (including a total extension of time of _____ month(s)) which expired on _____.
 - (b) ☐ A proposed reply was received on _____, but it does not constitute a proper reply under 37 CFR 1.113 (a) to the final rejection.
(A proper reply under 37 CFR 1.113 to a final rejection consists only of: (1) a timely filed amendment which places the application in condition for allowance; (2) a timely filed Notice of Appeal (with appeal fee); or (3) a timely filed Request for Continued Examination (RCE) in compliance with 37 CFR 1.114).
 - (c) ☐ A reply was received on _____ but it does not constitute a proper reply, or a bona fide attempt at a proper reply, to the non-final rejection. See 37 CFR 1.85(a) and 1.111. (See explanation in box 7 below).
 - (d) ☒ No reply has been received.
2. ☐ Applicant's failure to timely pay the required issue fee and publication fee, if applicable, within the statutory period of three months from the mailing date of the Notice of Allowance (PTOL-85).
 - (a) ☐ The issue fee and publication fee, if applicable, was received on _____ (with a Certificate of Mailing or Transmission dated _____), which is after the expiration of the statutory period for payment of the issue fee (and publication fee) set in the Notice of Allowance (PTOL-85).
 - (b) ☐ The submitted fee of \$_____ is insufficient. A balance of \$_____ is due.
The issue fee required by 37 CFR 1.18 is \$_____. The publication fee, if required by 37 CFR 1.18(d), is \$_____.
 - (c) ☐ The issue fee and publication fee, if applicable, has not been received.
3. ☐ Applicant's failure to timely file corrected drawings as required by, and within the three-month period set in, the Notice of Allowability (PTO-37).
 - (a) ☐ Proposed corrected drawings were received on _____ (with a Certificate of Mailing or Transmission dated _____), which is after the expiration of the period for reply.
 - (b) ☐ No corrected drawings have been received.
4. ☐ The letter of express abandonment which is signed by the attorney or agent of record, the assignee of the entire interest, or all of the applicants.
5. ☐ The letter of express abandonment which is signed by an attorney or agent (acting in a representative capacity under 37 CFR 1.34(a)) upon the filing of a continuing application.
6. ☐ The decision by the Board of Patent Appeals and Interference rendered on _____ and because the period for seeking court review of the decision has expired and there are no allowed claims.
7. ☐ The reason(s) below:

Ms. Arti Singh
Primary Examiner
Art Unit: 1771

Petitions to revive under 37 CFR 1.137(a) or (b), or requests to withdraw the holding of abandonment under 37 CFR 1.181, should be promptly filed to minimize any negative effects on patent term.

Nelson Mullins



Nelson Mullins Riley & Scarborough LLP

Attorneys and Counselors at Law
1320 Main Street / 17th Floor / Columbia, South Carolina 29201
Tel: 803.799.2000 Fax: 803.256.7500
www.nelsonmullins.com

Craig N. Killen
Registered Patent Attorney
803.255.9382
Fax: 803.255.9831
craig.killen@nelsonmullins.com

January 31, 2005

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

In re: Application of Alonzo W. Beasley, Jr.
Title: "MOTOR VEHICLE AIR BAG AND FABRIC FOR USE IN SAME"
Serial No: 10/684,639 Filed: October 14, 2003
Our Ref: 16147/09002 CON


Dear Sir:

The following are being transmitted herewith:

1. Amendment
2. Fee Transmittal for FY 2005
3. Declaration Under 37 CFR 1.131 with Exhibits A-C
4. Statement Under 37 CFR 3.73(b)

Please charge any deficiency or credit any overpayment required by this action to our deposit account no. 50-1196, for which purpose an extra copy of this transmittal letter is attached.


Very truly yours,


Craig N. Killen
Reg. No. 35,218

I hereby certify that this correspondence and any referenced attachment and/or fee are being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the date listed above.

Martha Boynton

(Typed or printed name of person mailing paper or fee)


(Signature of person mailing paper or fee)

The stamp of the U.S. Patent & Trademark Office hereon acknowledges receipt of the following:

1. Amendment, 2 pages
2. Declaration under 37 CFR 1.131 with Exhibits A-C, 17 pages
3. Statement under 37 CFR 3.73(b)
4. Fee Transmittal for FY 2005
5. Cover letter w/ first class mail certificate

Application of Alonzo W. Beasley, Jr.

Title: Motor Vehicle Air Bag and Fabric for Use in Same

Serial No: 10/684,639 filed: 10-14-03

Our Ref: 16147/09002 CON

Date: January 31, 2005

Under the Paperwork Reduction Act of 1985, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Effective on 10/01/2004. Patent fees are subject to annual revision.

FEE TRANSMITTAL For FY 2005

☐ Applicant claims small entity status. See 37 CFR 1.27

TOTAL AMOUNT OF PAYMENT (\$) 980

Complete if Known

Application Number 10/684,639
Filing Date October 14, 2003
First Named Inventor Alonzo W. Beasley, Jr.
Examiner Name Singh, Arti R.
Art Unit 1771
Attorney Docket No. 16147/09002 CON

METHOD OF PAYMENT (check all that apply)

☐ Check ☐ Credit Card ☐ Money Order

☒ Deposit Account ☐ None

Deposit
Account
Number
Deposit
Account
Name

50-1196

Nelson Mullins Riley
& Scarborough

The Director is hereby authorized to: (check all that apply)

- ☒ Charge fee(s) indicated below
☐ Charge fee(s) indicated below, except for the filing fee
☐ Charge any additional fee(s) or underpayments of fee(s) under 37 CFR 1.16 and 1.17
☐ Credit any overpayments

to the above-identified deposit account.

☐ Other (please identify):

WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

FEE CALCULATION

1. BASIC FILING FEE

Fee Description	Fee (\$)	Small Entity Fee (\$)	Fee Paid (\$)
Utility Filing Fee	790	395	
Design Filing Fee	350	175	
Plant Filing Fee	550	275	
Reissue Filing Fee	790	395	
Provisional Filing Fee	160	80	

Subtotal (1) \$

FEE CALCULATION (continued)

2. EXTRA CLAIM FEES

Fee Description	Fee (\$)	Small Entity Fee (\$)
Each claim over 20	18	9
Each independent claim over 3	88	44
Multiple dependent claims	300	150
For Reissues, each claim over 20 and more than in the original patent	18	9
For Reissues, each independent claim more than in the original patent	88	44

Total Claims Extra Claims Fee (\$)

- 20 or HP = x =
HP = highest number of total claims paid for, if greater than 20

Indep. Claims Extra Claims Fee (\$)

- 3 or HP = x =
HP = highest number of independent claims paid for, if greater than 3

Multiple Dependent Claims Fee (\$)

Subtotal (2) \$

3. OTHER FEES

Fee Description	Fee (\$)	Small Entity Fee (\$)	Fee Paid (\$)
1-month extension of time	110	55	
2-month extension of time	430	215	
3-month extension of time	980	490	980
4-month extension of time	1,530	765	
5-month extension of time	2,080	1,040	
Information disclosure stmt. fee	180	180	
37 CFR 1.17(q) processing fee	50	50	
Non-English specification	130	130	
Notice of Appeal	340	170	
Filing a brief in support of appeal	340	170	
Request for oral hearing	300	150	

Other:

Subtotal (3) \$ 980

SUBMITTED BY

Signature

Craig N. Killen

Registration No.
(Attorney/Agent)

35,218

Telephone (803) 255-9382

Name (Print/Type)

Craig N. Killen

Date Jan. 31, 2005

This collection of information is required by 37 CFR 1.138. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 30 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of
ALONZO W. BEASLEY, JR.

Serial No: 10/684,639

Examiner: Singh, Arti R.

Filed: October 14, 2003

Art Unit: 1771

Title: MOTOR VEHICLE AIRBAG AND
FABRIC FOR USE IN SAME

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

RESPONSE

Dear Sir:

This is a response to the Office Action mailed July 29, 2004 in relation to the above-identified application. Favorable reconsideration and allowance are respectfully requested.


Claims 1-24, 26 and 28 were rejected under 35 U.S.C. § 102(e) as being anticipated by U.S. Pat. No. 6,455,449 to Veiga et al. Claims 25, 27 and 29 were rejected under 35 U.S.C. § 103(a) as being unpatentable over Veiga. Applicant is submitting herewith a Declaration Under Rule 131 indicating that the present invention was made by Applicant prior to the filing date of the Veiga reference. Accordingly, the Veiga reference is not available as prior art under Section 102(e) and withdrawal of the rejection is respectfully requested.

Inasmuch as all outstanding issues raised by the Examiner having been addressed, it is respectfully submitted that the present application, including claims 1-29, is in condition

for allowance, and action to such effect is earnestly solicited.
The Examiner is invited to telephone the undersigned should any
minor issues remain after consideration of the above amendment,
to permit early resolution of same.

Respectfully submitted,

NELSON MULLINS RILEY & SCARBOROUGH

A handwritten signature in black ink, appearing to read "Craig N. Killen", is written over a horizontal line.

Craig N. Killen
Registration No. 35,218

P.O. Box 11070
Columbia, SC 29211-1070
(803) 255-9382
Fax (803) 255-9103

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

STATEMENT UNDER 37 CFR 3.73(b)

Applicant/Inventor/Owner Alonzo W. Beasley, Jr.

Application No./Patent No.: 10/684,639 Filed/Issue Date: October 14, 2003

Entitled: Motor Vehicle Air Bag and Fabric for Use in Same

Safety Components Fabric Technologies, Inc. a corporation
(Name of Assignee) (Type of Assignee, e.g., corporation, partnership, university, government agency, etc.)

states that it is:

1. ☒ the assignee of the entire right, title, and interest; or
2. ☐ an assignee of less than the entire right, title and interest.
The extent (by percentage) of its ownership interest is _____ %

In the patent application/patent identified above by virtue of either:

A. ☒ An assignment from the inventor(s) of the patent application/patent identified above. The assignment was recorded in the United States Patent and Trademark Office at Reel 010758, Frame 0187, or for which a copy thereof is attached.

OR

B. ☐ A chain of title from the inventor(s), of the patent application/patent identified above, to the current assignee as shown below:

1. From: _____ To: _____
The document was recorded in the United States Patent and Trademark Office at Reel _____, Frame _____, or for which a copy thereof is attached.
2. From: _____ To: _____
The document was recorded in the United States Patent and Trademark Office at Reel _____, Frame _____, or for which a copy thereof is attached.
3. From: _____ To: _____
The document was recorded in the United States Patent and Trademark Office at Reel _____, Frame _____, or for which a copy thereof is attached.

☐ Additional documents in the chain of title are listed on a supplemental sheet.

☐ Copies of assignments or other documents in the chain of title are attached.

(NOTE: A separate copy (i.e., a true copy of the original assignment document(s)) must be submitted to Assignment Division in accordance with 37 CFR Part 3, if the assignment is to be recorded in the records of the USPTO. See MPEP 302.08)

The undersigned (whose title is supplied below) is authorized to act on behalf of the assignee.

Stephen B. Duerk
Signature
Stephen B. Duerk
Printed or Typed Name
President
Title

1-31-05
Date
864-240-2678
Telephone Number

This collection of information is required by 37 CFR 3.73(b). The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of
ALONZO W. BEASLEY, JR.

Serial No: 10/684,639

Examiner: Singh, Arti R.

Filed: October 14, 2003

Art Unit: 1771

Title: **MOTOR VEHICLE AIRBAG AND
FABRIC FOR USE IN SAME**

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

DECLARATION UNDER 37 CFR 1.131

Dear Commissioner:

I, the individual whose signature appears below, do hereby declare that:

1. I am an officer of Safety Components Fabric Technologies, Inc., owner of the above patent application by virtue of written assignment from the inventor.

2. This application was filed on October 14, 2003, but claims the benefit of application Serial No. 09/558,766, filed April 26, 2000.

3. I have been advised that all claims of the application have been rejected as being unpatentable over the disclosure of U.S. Patent No. 6,455,449 to Veiga et al. issued on September 24, 2002, and filed on September 3, 1999.

4. The present invention resides in the discovery that urethane-coated airbag fabrics may include a base fabric made from finer denier yarns of alternating deniers which produces a crest and trough pattern on the surface that enhances urethane adhesion.

5. As supported by the factual evidence submitted herewith, the claimed invention was conceived and, on information and belief, was reduced to practice prior to September 3, 1999.

6. The originals of Exhibits A through C discussed hereinafter in detail were all prepared prior to September 3, 1999. Actual dates and prospective customer name have been deleted.

7. As evidenced by Exhibit A, a base fabric of 315d warp and alternating fill of 315d and 210d denier was prepared. This fabric was designated style 4934. The first two pages of Exhibit A make up the request from the inventor for a sample of this fabric. Note that the "endues" of the fabric is indicated to be "airbag." The third page of Exhibit A is a "Sample Specification" for this fabric. The fourth page is a "Warping, Processing, Weaving Order and Headend Ticket" (stamped "Air Bag") for this fabric. After the base fabric was made, it was tested as indicated by the "Certificate of Conformance" forming the last two pages of Exhibit A.

8. Exhibit B indicates that another sample of style 4934 was prepared. This base fabric also had 315d warp and alternating fill of 315d and 210d denier. The first page of Exhibit B is a "Sample Specification" for this fabric. The third page is a "Warping, Processing, Weaving Order and Headend Ticket" (stamped "Air Bag") for this fabric. After the base fabric was made, it was tested as indicated by the "Certificate of Conformance" forming the last two pages of Exhibit B.

9. As evidenced by Exhibit C, a base fabric of 420d warp and alternating fill of 420d and 315d denier was prepared. This fabric, designated style 4951, was requested by the document making up the first two pages of Exhibit C. After the base fabric was made, it was tested as indicated by the "Certificate of Conformance" forming the last two pages of Exhibit C.

10. A style 4934 base fabric was sent to the prospective customer (a coater), whereupon a urethane coating was applied. Satisfactory adhesion levels were reported.

11. I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

SAFETY COMPONENTS FABRIC TECHNOLOGIES, INC.

Signed: ✓ Stephen B. Duark

Name: ✓ Stephen B. Duark

Title: ✓ President

Date: ✓ 1-31-05

EXHIBIT A

PROD. REQ. & COST FORM

TO: FRANCISCO EEDOYA

DATE _____

I. MARKETING

CUSTOMER: _____ CUST. S/# _____ C/R# 10-387

SCFTI S/#: 4934-02 WEAVE: PLAIN ENDUSE: Aibig LEVEL 4

GR. (MIN./NOM.)	FIN. (MIN./NOM.)	YES	NO
ENDS/IN: <u>55</u>	<u>60</u>	WARP SIZE OK	<u>X</u>
PICKS/IN: <u>64 54 34</u>	<u>63-65</u>	SPUN YARN TINT	_____
WIDTH: <u>75-76</u>	<u>69.5-76.5</u>	HI. TEN REQD	_____

WARP: 315 / 144 / T-447 (AK20) OLD/NEW _____

FILL: 315 / 144 / T-447 (AK20) (New Both) (pick = pick) 283 OLD/NEW _____

SCFTI PROCESS: 210/68/R-20 Dv Port Nylon

GREIGE _____
HEATSET IN THE GR. _____
SCOUR & HEATSET X
APPLY & FINISH _____

CUT LENGTH RANGE 500 yds.
MIN PC. LENGTH 200
SPICES ALLOWED 400
PACKAGING to find

DESCRIBE FINISH: _____ FINISH CODE: 9026

CFM RANGE: NA CUST. SPEC # TPD. DATED: _____
COPY OF CUST. SPEC ATTACHED _____ (TEST REQ. Y/N) (CERT REQ Y/N)
DEPT#: _____

II. TECHNICAL

TYPE LOOM: production MULTIPLE PICKS - YES/NO EQUIVALENT PICKS: N/A
YARDS PER BEAM: N/A (WARP IN PLANT & NEW YARNS ONLY)

CONST. IN LOOM: REED WIDTH: 41.25 SLEY: 520 OFF LM PICKS: 640

WARP: 315 / 144 / T-447 AK20

FILLING: 315 / 144 / T-447 AK20
210/68/R-20 Dupont Nylon

WARP YDS/LB: 14.130 FILLING YDS/LB: 14.130 = 315 / 21250 = 210 yds.

EST. WARP CONTRACTION: 1%

REMARKS: sample for test

SIGNATURE: _____ DATE: _____

PROCESSES REQUIRED: (CIRCLE AS APPLICABLE)

PREPARATION	WEAVING	FINISHING	FINAL	TESTING
WINDING	<u>DORNIER</u>	BATCH	SLIT	INTERNAL
TWISTING (IN/OUT)	SULZER	<u>SCOUR</u> JIG/CONT.	<u>INSPECT</u>	CUST. LOT
WARPING (IN/OUT)		CAN DRY	<u>PACK</u>	NONSTD.
(BLOCK/TRANS.)		CONTACT HT SET SHIP		PPAP
BEAMING/SLASHING		CALENDER/TENTER		ANNUAL
				QUAL.

III. ENGINEERING

LOOMS/WEAVER: _____ OTHER: _____

IV. COST DEPARTMENT

DATE FWDED: _____

YDS/LOOM _____

TARGET CONTRIBUTION

FAB. WT. _____

OZ./SQ. YD. _____

120 HRS. _____

LOOM/WK _____ YD _____

COST: _____

VAR./YD: _____ FX/YD: _____ B/E/YD: _____ MIN. YD: _____ TAR. YD: _____

YARN PRICE: _____

WARP: _____ FILL: _____

SPECIAL INSTRUCTIONS: _____

DISCLAIMERS/COMMENTS: _____

A. has adhesion problem with low tension before
630 YD.

B. Run this as pattern 02.

C. Pick insertion should be 1/2 and 1/2 of two filling
yarns. see text.

D. Low tension on warp yarn.

E. This is final okay

SUBMITTED BY L. B. Bate

DATE: _____

APPROVED BY MARKETING MGR. L. B. Bate

DATE: _____

APPROVED BY DIR. TECH. SVCS K. Bate

DATE: _____

REJ. APPR TECH. SERV. MGR. K. Bate

DATE: _____

APPROVED BY MFG. REF. COMM. K. Bate

DATE: _____

FORWARD TO: _____ OR _____ CC: J. ANDERSON S. DUERK
J. UNDERWOOD D. HARVELL

AFETY COMPONENTS FABRIC
TECHNOLOGIES, INC.

STYLE M BR LISTING
Sample Specification

PAGE:

Style:	M4934-0002-9026		Level:	IV
Description:	315,210 60 x 64 Low Warp tension	U/M:	YD	
Fabric:	8 harness and 6 banks of drop wires, 71% air space reed			
Weave:	Dupont t-6-6 nylon Plain PICK AND PICK WITH 2 FILLING YARNS			
Face:	Either			
Weave out (yds):	500	Weave picks/inch:	64.00	
Edges:	Heat slit at loom			
Type size:	BP-44C-4% SOLIDS IN SIER BOX, 1% STRETCH ON SLASHING			
Other:	1 end 420/68 dk blue nylon 24 ends from left side at slasher			
Warp yarn code:	RHWL1538 Supplier: ACCORDIS INDUSTRIAL FIBERS			
Description:	315/144 T-447 HRT-8 Accordis Scottsboro Nylon			
Twist:	Airbag Beams			
Merger:	None			
Fill yarn code:	RHWL1539 Supplier: ACCORDIS INDUSTRIAL FIBERS			
Description:	315/144 T-447 HRT-8 Accordis Scottsboro Nylon			
Twist:	Airbag Tubes			
Merger:	None			
Packaging:	See final inspection instructions			
Grading:	See final inspection instructions			
Purpose:	nylon coating fabric (Air bag)			
Tube size:	See final inspection instructions			
Std wt (yds/lb):	1.59	Width (in):	76.50	Est. Off Loom
Weight (lbs/yd):	0.628	Count (W x P):	54 x 63	Min
Allow dev %:	3.00	Wt (oz/syd):	4.71	Max
			4.71	Target
			55 x 64	Target
			58 x 62	Min
			4.93	Est. Finished
			4.93	Max
			70.50	Target
			60 x 64	Target
			4.93	Target

Comments: As c/r #10-387 var. M4934-01

FILLING YARN #2

RHWL 1618 210/68 R20 T-729 TUBES FROM DUPONT

Current rev: 000

Revision date: 05/25/1999 By: TK

original

Copyright 1997 by SourceTech Systems, Inc., Charlotte, NC - All rights reserved

1015 (12/97)

(OMS-102,103)

WARPING ORDER

F-1017 11/96

(RE: QMS - 102)

SAFETY COMPONENTS FABRIC TECHNOLOGIES, INC. - DUNEAN PLANT - 80

WARPING, PROCESSING, WEAVING ORDER AND HEADEND TICKET

STYLE: W-4934 EXP.-2 TYPE CLOTH: NYLON COATING AIR BAGS DATE: _____

NO. REED DENT ENDS TOTAL
BEAMS: 1 SPREAD: 81.23" REED: 26.00 DENT: 2 DENTS: 2156* SLEY: 52.00 SHAFTS: 8

DRAW: STRAIGHT WEAVE: PLAIN EST % TYPE DIST. BTWN
CONT: 8% LOOM: DORNIER BM. HEAD: 81.75"
DEPT.: 10 BODY SELV TOTAL
ENDS: 4224 ENDS: 1 ENDS: 4225
WEIGHT
SELVAGE: ** 1 END 420/68 DEN. DARK BLUE NYLON - HEAT SLIT AT LOOM PER YARD: .0001

FILLING A: 315/144/T-447 AKZO SCOTSBORO NYLON PICKS: 32 WT/YD: .1959
(14,150)

FILLING B: 210/68/R-20 DUPONT NYLON PICKS: 32 WT/YD: .1305
*INCLUDES 22 DENTS EACH SIDE FOR CATCH CORD,LENO,ETC. (21,250)

FILLING C: _____ PICKS: _____ WT/YD: _____

WARP A: 315/144/T-447 AKZO SCOTSBORO NYLON NO. ENDS: 4224 WT/YD: .3245
NO TINT - NO CUT MARKS (14,150)

WARP B: ** ADDED AT SLASHER 24 ENDS FROM LEFT NO. ENDS: _____ WT/YD: _____
EDGE AT SLASHER

WARP C: _____ NO. ENDS: _____ WT/YD: _____

WARPING LAYOUT

MAY ALSO BE WARPED AS BELOW:

12 - BMS @ 0 352 0
SELV. BODY A SELV.

_____ - BMS @ _____
SELV. BODY SELV.

_____ - BMS @ _____
SELV. BODY A SELV.

_____ - BMS @ _____
SELV. BODY SELV.

_____ - BMS @ _____
SELV. BODY SELV.

_____ - BMS @ _____
SELV. BODY SELV.

FOR HEADEND TICKET:

GREIGE EST. ACT.% GROUND OVERALL
WIDTH _____ WEIGHT _____ CONT _____ COUNT _____ COUNT: _____

ISSUED BY: FRANCISCO BEDOYA Francisco Bedoya DATE: _____

cc: BURTON, REESE, HALEY, HAVER, B.JAMES, D. ROBBINS, WEAVE ROOM, J. GLENN
D-10 R. DEATHERAGE (3), FRANCISCO BEDOYA (3) D-10

CERTIFICATE OF CONFORMANCE

PAGE 1 OF 2

MANUFACTURER: Safety Components Fabric Tech. Inc.
Duncan Plant
Greenville, SC

TEST CONDITIONS: 72°F / 65% R.H.

CUSTOMER ID:

3/5/20

MATERIAL: 94934-02-9026

LOT: 20699

TEST DATE:

SPECIFICATION: TBD

Piece No. Sample No.	8661F			Specification Requirement	UNIT OF MEASURE	TEST PROCEDURES
GRAB TENSILE HARP	427	0	0	Min:	Pounds	ASTM-D-5034
FILLING	389	0	0	Min:	Pounds	ASTM-D-5034
ELONGATION HARP	42	0	0	Min: Max:	Percent	ASTM-D-5034
FILLING	44	0	0	Min: Max:	Percent	ASTM-D-5034
TONGUE TEAR HARP	27	0	0	Min:	Pounds	ASTM-D-2261
FILLING	26	0	0	Min:	Pounds	ASTM-D-2261
TRAPZOID TEAR HARP	0	0	0	Min:	Pounds	ASTM-D-4533
FILLING	0	0	0	Min:	Pounds	ASTM-D-4533
SHRINKAGE HARP	1.56	0.00	0.00	Max:	Percent	1 HR @ 300 F
FILLING	0.00	0.00	0.00	Max:	Percent	1 HR @ 300 F
FLAMMABILITY	0.0	0.0	0.0	Max:	IN/MIN	FMVSS-302
BOB				Max:	Percent	
RTAS				Max:	Percent	
WEIGHT	5.14	0.00	0.00	Min: Max:	OS/YD2	ASTM-D-3776
WIDTH	70.0	0.0	0.0	Min: Max:	INCHES	ASTM-D-3774
ENDS	59.4	0.0	0.0	Min: Max:	EPI	ASTM-D-3775
PICKS	63.4	0.0	0.0	Min: Max:	PPI	ASTM-D-3775
BODY THICKNESS	.010	0.000	0.000	Min: Max:	Inches	ASTM-D-1777
DYNAMIC AIR FLOW ADAP				Min: Max:	m/sec	T.B.D.
EXPOSURE				Min: Max:		T.B.D.

Material: W4934-02-9026

lot: 20699

Page 2 of 2

Piece No. Sample No.	86617			Specification Requirement	UNIT OF MEASURE	TEST PROCEDURES
MULLIN BURST NET				Min:	PSI	ASTM-D-3786
PH	7.5			Min: Max:	pH units	FTIR 191
EXTRACTABLES (%)	.2			Max:	Percent	JPS 701
DYE STAIN	5			Min: 4	AATCC CROCK UNITS	JPS 701
AIR PERMEABILITY	0.00	0.00	0.00	Min: Max:	CFM	ASTM-D-737
CANTILEVER STIFFNESS WARP	0.0	0.0	0.0	Min: Max:	MG/CM2	ASTM-D-4032
FILL	0.0	0.0	0.0	Min: Max:	MG/CM2	ASTM-D-4032
CIRCULAR BEND WARP	.700	0.000	0.000	Min: Max:	Pounds	ASTM 4032
FILL	.700	0.000	0.000	Min: Max:	Pounds	ASTM 4032

I certify that the above tests were performed under my supervision in accordance with specification test requirements and that the reported test results are true, valid, and applicable to the samples tested. Test results as shown are within the acceptance limits for the parameters of the above material specifications except as noted with an asterisk (*).

ROBERT M. BOLCONES LAB DIRECTOR
(864) 240-2624

P-1065 (5/96)

[NI-2021]

THIS REPORT MAY NOT BE REPRODUCED EXCEPT IN TOTAL WITHOUT THE
PERMISSION OF THE ORIGINATOR.

INFORMATION ONLY

EXHIBIT B

WARPING ORDER

F-1017 11/98

(RE: QMS - 102)

SAFETY COMPONENTS FABRIC TECHNOLOGIES, INC. - DUNEAN PLANT - 80

WARPING, PROCESSING, WEAVING ORDER AND HEADEND TICKET

STYLE: W-4934 EXP.-3 TYPE CLOTH: NYLON COATING AIR BAGS DATE: _____

NO. REED DENT ENDS TOTAL
BEAMS: 1 SPREAD: 81.23" REED: 26.00 DENT: 2 DENTS: 2158" SLEY: 52.00 SHAFTS: 8

DRAW: STRAIGHT WEAVE: PLAIN EST % TYPE DIST. BTWN
CONT: 8% LOOM: DORNIER BM. HEAD: 81.75"
DEPT.: 10 BODY SELV TOTAL
ENDS: 4224 ENDS: 1 ENDS: 4225
WEIGHT
SELVAGE: ** 1 END 420/68 DEN. DARK BLUE NYLON - HEAT SLIT AT LOOM PER YARD: .0001

FILLING A: 315/144/T-447 AKZO SCOTTSBORO NYLON PICKS: 32 WT/YD: .1959
(14,150)

FILLING B: 210/72/R-20 ACORDIS 100% T-447 HRT FROM AKZO PICKS: 32 WT/YD: .1306
(21,250)
*INCLUDES 22 DENTS EACH SIDE FOR CATCH CORD,LENO,ETC.

FILLING C: _____ PICKS: _____ WT/YD: _____

WARP A: 315/144/T-447 AKZO SCOTTSBORO NYLON NO. ENDS: 4224 WT/YD: .3246
NO TINT - NO CUT MARKS (14,150)

WARP B: ** ADDED AT SLASHER 24 ENDS FROM LEFT NO. ENDS: _____ WT/YD: _____
EDGE AT SLASHER

WARP C: _____ NO. ENDS: _____ WT/YD: _____

WARPING LAYOUT

MAY ALSO BE WARPED AS BELOW

AIR BAG

12 - BMS @ 0 352 0
SELV. BODY A SELV.

_____ - BMS @ _____
SELV. BODY SELV.

_____ - BMS @ _____
SELV. BODY A SELV.

_____ - BMS @ _____
SELV. BODY SELV.

_____ - BMS @ _____
SELV. BODY SELV.

_____ - BMS @ _____
SELV. BODY SELV.

FOR HEADEND TICKET:
GREIGE EST. ACT.% GROUND OVERALL
WIDTH WEIGHT COUNT COUNT:

ISSUED BY: FRANCISCO BEDOYA Francisco DATE: _____

cc: BEASLEY, BURTON, REESE, HALEY, HAVER, B. JAMES, D. ROBBINS, WEAVE ROOM, J. GLENN
D-10 R. DEATHERAGE (3), FRANCISCO BEDOYA (3) D-10

CERTIFICATE OF CONFORMANCE

PAGE 1 OF 2

MANUFACTURER: Safety Components Fabric Tech. Inc.
Duncan Plant
Greenville, SC

TEST CONDITIONS: 72°F / 65% R.H.

CUSTOMER ID:

INFORMATION ONLY

MATERIAL: W4934-03-9026

LOT: 21138

TEST DATE:

SPECIFICATION: TBD

Piece No. Sample No.	17530	17540		Specification Requirement	UNIT OF MEASURE	TEST PROCEDURES
GRAB TENSILE WARP	450	442	0	Min:	Pounds	ASTM-D-5034
FILLING	379	389	0	Min:	Pounds	ASTM-D-5034
ELONGATION WARP	38	38	0	Min: Max:	Percent	ASTM-D-5034
FILLING	39*	40*	0	Min: Max:	Percent	ASTM-D-5034
TONGUE TEAR WARP	28	27	0	Min:	Pounds	ASTM-D-2261
FILLING	27	27	0	Min:	Pounds	ASTM-D-2261
TRAPEZOID TEAR WARP	0	0	0	Min:	Pounds	ASTM-D-4533
FILLING	0	0	0	Min:	Pounds	ASTM-D-4533
SHRINKAGE WARP	1.56	1.56	0.00	Max:	Percent	1 HR @ 300 F
FILLING	.31	.31	0.00	Max:	Percent	1 HR @ 300 F
FLAMMABILITY	0.0	0.0	0.0	Max:	IN/IN	FMVSS-302
RON	.31	.50		Max:	Percent	
BIAS	.75	.75		Max:	Percent	
WEIGHT	5.02	4.99	0.00	Min: Max:	OZ/YD2	ASTM-D-3776
WIDTH	70.5	71.0	0.0	Min: Max:	INCHES	ASTM-D-3774
ENDS	58.3	58.3	0.0	Min: Max:	EPI	ASTM-D-3775
PICKS	62.6	62.5	0.0	Min: Max:	PPI	ASTM-D-3775
BODY THICKNESS	.010	.010	0.000	Min: Max:	Inches	ASTM-D-1777
DYNAMIC AIR PERM ADAP				Min: Max:	cm/sec	T.B.D.
EXPOSURE				Min: Max:		T.B.D.

Material: W4934-03-9026

lot: 21138

Piece No. Sample No.	17530	17540		Specification Requirement	UNIT OF MEASURE	TEST PROCEDURES
HOLLOW BURST TEST				Min:	PSI	ASTM-D-3786
pH	7.1	6.8		Min: Max:	pH units	FTM 191
EXTRACTABLES (%)	.5	.6		Max:	Percent	JPS 701
DYE STAIN	5	5		Min: 4	AAPCC CHECK UNITS	JPS 701
AIR PERMEABILITY	2.04	2.00	0.00	Min: Max:	CFM	ASTM-D-737
CANTILEVER STIFFNESS HARP	0.0	0.0	0.0	Min: Max:	MG/CM2	ASTM-D-4032
FILL	0.0	0.0	0.0	Min: Max:	MG/CM2	ASTM-D-4032
CIRCULAR BEND HARP	.900	.800	0.000	Min: Max:	Pounds	ASTM 4032
FILL	.800	.900	0.000	Min: Max:	Pounds	ASTM 4032

I certify that the above tests were performed under my supervision in accordance with specification test requirements and that the reported test results are true, valid, and applicable to the samples tested. Test results as shown are within the acceptance limits for the parameters of the above material specifications except as noted with an asterisk (*).

ROBERT M. HOLCOMBE LAB DIRECTOR
(864) 240-2624

T-1065 (5/96)

[WI-2021]

THIS REPORT MAY NOT BE REPRODUCED EXCEPT IN TOTAL WITHOUT THE
PERMISSION OF THE ORIGINATOR.

INFORMATION ONLY

EXHIBIT C

PROD. REQ. & COST FORM

TO: FRANCISCO BEDOYA

DATE

I. MARKETING

CUSTOMER:

CUST. S/#

C/R# 10-386

SCFTI S/#:

WEAVE:

ENDUSE:

LEVEL 4

GR. (MIN./NOM.)
ENDS/IN: 41-43
PICKS/IN: 48-50
WIDTH: 69.5-72.5

FIN. (MIN./NOM.)
44-
49
63-66

WARP SIZE OK YES NO
SPUN YARN TINT
HI. TEN REQD

WARP: 420/68/R20 Nylon Dupont T743 (OLD/NEW)

FILL: 420/68/1220 Nylon Dupont T743 (1/2) (OLD/NEW)
315/96/R20 Nylon Dupont T729 (1/2)

SCFTI PROCESS:

GREIGE

HEATSET IN THE GR.

SCOUR & HEATSET

APPLY & FINISH

CUT LENGTH RANGE

MIN PC. LENGTH

SPLICES ALLOWED

PACKAGING

500
200
Yes
5.00 in. dia. tube
wrapped in clear plastic
FINISH CODE: 9024

DESCRIBE FINISH:

CFM RANGE: NA CUST. SPEC # T8D DATED:
COPY OF CUST. SPEC ATTACHED (TEST REQ. Y/N) (CERT REQ Y/N)
DEPT#: 10

II. TECHNICAL

TYPE LOOM: Dornier MULTIPLE PICKS - YES/NO EQUIVALENT PICKS: 1/2
YARDS PER BEAM: N/A (WARP IN PLANT & NEW YARNS ONLY)

CONST. IN LOOM: REED WIDTH: 74.60" SLEY: 40.0" OFF LM PICKS: 49.0"

WARP: 420/68/R20 Nylon Dupont T-743

FILLING: 420/68/1220 Nylon Dupont T-743 pick and piece

WARP YDS/LB: 10.600

FILLING YDS/LB: 10.600 = 4203. 14.40 = 31.5

EST. WARP CONTRACTION: 49.0

REMARKS:

SIGNATURE:

DATE: 5-21-99

PROCESSES REQUIRED: (CIRCLE AS APPLICABLE)

PREPARATION

WINDING

TWISTING (IN/OUT)

WARPING (IN/OUT)

(BLOCK/TRANS.)

BEAMING/SLASHING

WEAVING

CORNER

SULZER

FINISHING

BATCH

SCOUR - JIG/CONT.

CAN DRY

CONTACT HT SET SHIP

CALENDER/TENTER

FINAL

SLIT

INSPECT

PACK

TESTING

INTERNAL

CUST. LOT

NONSTD.

PPAP

ANNUAL

QUAL.

III. ENGINEERING
LOOMS/WEAVER: _____

OTHER: _____

DATE FWDED: _____

IV. COST DEPARTMENT

YDS/LOOM
120 HRS. _____

TARGET CONTRIBUTION
LOOM/WK _____ YD _____

FAB. WT. _____

OZ./SQ. YD. _____

COST: _____

VAR./YD: _____

FX/YD: _____

B/E/YD: _____

MIN. YD: _____

TAR. YD: _____

YARN PRICE: _____

WARP: _____

FILL: _____

SPECIAL INSTRUCTIONS: _____

DISCLAIMERS/COMMENTS:

- A) Urethane adhesion values below 630d are very low. Trial evaluation by making surface rougher with two different abrasives should provide better surface adhesion.
- B) If successful would rework in warp and fill.

SUBMITTED BY J. Holmback

DATE: _____

APPROVED BY MARKETING MGR. Lon Bief for S. Duerk

DATE: _____

APPROVED BY DIR. TECH. SVCS K. Bates

DATE: _____

REJ. APPR TECH. SERV. MGR. K. Bates

DATE: _____

APPROVED BY MFG. REF. COMM. K. Bates

DATE: _____

FORWARD TO: _____

OR _____

CC: _____

J. ANDERSON
J. UNDERWOOD

S. DUERK
D. HARVELL

CERTIFICATE OF CONFORMANCE

PAGE 1 OF 2

MANUFACTURER: Safety Components Fabric Tech. Inc.
Duncan Plant
Greenville, SC

TEST CONDITIONS: 72°F / 65% R.H.

CUSTOMER ID:

MATERIAL: W4951-01-9026

LOT: 20701

TEST DATE:

SPECIFICATION: TAB

Piece No. Sample No.	8619T			Specification Requirement	UNIT OF MEASURE	TEST PROCEDURES
GRAB TENSILE WARP	430	0	0	Min:	Pounds	ASTM-D-5034
FILLING	424	0	0	Min:	Pounds	ASTM-D-5034
ELONGATION WARP	34	0	0	Min: Max:	Percent	ASTM-D-5034
FILLING	43	0	0	Min: Max:	Percent	ASTM-D-5034
TONGUE TEAR WARP	47	0	0	Min:	Pounds	ASTM-D-2261
FILLING	41	0	0	Min:	Pounds	ASTM-D-2261
TRAPEZOID TEAR WARP	0	0	0	Min:	Pounds	ASTM-D-4533
FILLING	0	0	0	Min:	Pounds	ASTM-D-4533
SHRINKAGE WARP	1.25	0.00	0.00	Max:	Percent	1 HR @ 300 F
FILLING	0.00	0.00	0.00	Max:	Percent	1 HR @ 300 F
FLAMMABILITY	0.0	0.0	0.0	Max:	IN/MIN	FMVSS-302
BOW	.56			Max:	Percent	
BIAS	.50			Max:	Percent	
WEIGHT	5.10	0.00	0.00	Min: Max:	OZ/YD2	ASTM-D-3776
WIDTH	66.0	0.0	0.0	Min: Max:	INCHES	ASTM-D-3774
ENDS	44.5	0.0	0.0	Min: Max:	EPI	ASTM-D-3775
PICKS	48.3	0.0	0.0	Min: Max:	PPI	ASTM-D-3775
BODY THICKNESS	.012	0.000	0.000	Min: Max:	Inches	ASTM-D-1777
DYNAMIC AIR PERM ADAP				Min: Max:	mm/sec	T.B.D.
EXPOIMENT				Min: Max:		T.B.D.

Material: W4951-01-9026

lot: 20701

Page 2 of 2

Piece No. Sample No.	86197			Specification Requirement	UNIT OF MEASURE	TEST PROCEDURES
MULLEN BURST HT				Min:	PSI	ASTM-D-3786
pH	7.0			Min: Max:	pH units	FTM 191
EXTRACTABLES (%)	.5			Max:	Percent	JPS 701
DYE STAIN	5			Min: 4	AAPCC CROCK UNITS	JPS 701
AIR PERMEABILITY	6.04	0.00	0.00	Min: Max:	CFM	ASTM-D-737
CANTILEVER STIFFNESS WARP	0.0	0.0	0.0	Min: Max:	MG/CM2	ASTM-D-4032
FILL	0.0	0.0	0.0	Min: Max:	MG/CM2	ASTM-D-4032
CIRCULAR BEND WARP	0.000	0.000	0.000	Min: Max:	Pounds	ASTM 4032
FILL	0.000	0.000	0.000	Min: Max:	Pounds	ASTM 4032

I certify that the above tests were performed under my supervision in accordance with specification test requirements and that the reported test results are true, valid, and applicable to the samples tested. Test results as shown are within the acceptance limits for the parameters of the above material specifications except as noted with an asterisk (*).

ROBERT M. HOLCOMBE LAB DIRECTOR
(864) 240-2624

F-1065 (5/96)

[WI-2021]

THIS REPORT MAY NOT BE REPRODUCED EXCEPT IN TOTAL WITHOUT THE
PERMISSION OF THE ORIGINATOR.

The stamp of the U.S. Patent & Trademark Office hereon acknowledges receipt of the following:

1. Amendment, 2 pages
2. Declaration under 37 CFR 1.131 with Exhibits A-C, 17 pages
3. Statement under 37 CFR 3.73(b)
4. Fee Transmittal for FY 2005
5. Cover letter w/ first class mail certificate

Application of Alonzo W. Beasley, Jr.
Title: Motor Vehicle Air Bag and Fabric for Use in Same
Serial No: 10/684,639 filed: 10-14-03
Our Ref: 16147/09002 CON
Date: January 31, 2005 *MD-76*



**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☒ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.